

Traces

1 - onion (fresh)

2 - chive (fresh; green)

3 - chive (fresh; green)

4 - geranium (hanging; flowers and leaves; fresh)


5 - geranium (standing; leaves; fresh)

6 - yew (needles; fresh)

7 - mousetail grass (fresh; leaves; green)

8 - common tansy (fresh; green, leaves)

1 2 3 4 5 6 7 8 9 10



Traces

l - whole blood; frozen; 50 ul

- whole blood; frozen; 50 ul

- whole blood, 100 ul

- cucumber; 50 mg

- tomoto plant leaf; 100 mg.

- saliva sample; 100 ul


- chicken liver; foodstuffs frozen; 5 mg.

- chicken liver, foodstuffs; frozen; 20 mg.

- hair roots


9 - turkey salami; 50 mg.

10 - yew, needles, 100 mg.




Traces 1 - 6: DNA from swab samples of oral mucosa

6 7 8 9 10 11 12 13 14 15 16 17 18 19 20




Traces:

1 - 10: Extraction method according to the invention11 - 20: Comparative method



Traces:

1 - 4: Extraction method according to the invention 5 - 8: Comparative method




Traces:

1: Extraction method according to the invention; 5 mg kidney
2: Comparative method; 5 mg kidney
3: Extraction method according to the invention; 20 mg. kidney
4: Comparative method: 20 mg kidney
5: Extraction method according to the invention; 5 mg heart
6: Comparation method; 5 mg heart
7: Extraction method according to the invention; 20 mg heart
8: Comparative method; 20 mg heart
9: Extraction method according to the invention; 5 mg liver
10: Comparative method; 5 mg liver

11: Extraction method according to the invention; 20 mg liver

12: Comparative method; 20 mg. liver




Traces:

1/2: Membrane supplier A (commercially available extraction kit) 3/4: Membrane supplier B (commercially available extraction kit) 5/6: Membrane supplier C (commercially available extraction kit) 7/8: Carrier suspension of silicon oxide 9/10: Carrier suspension of diatom earth 11/12: Carrier suspension of aerosiles (200 m²/g)

Figure 8-


2 3 8 7




Traces:

1-4: DNA extracted from saliva samples 5-6: DNA extracted from whole blood 7-8: DNA extracted from deparaffined tissue material

Figure 9



COO microtest plate strips



unmodified microtest plats strip